



SCHEEER

Top class heating systems



Price Catalog

MOBILE HEATING SYSTEMS

06/2026

Prices are valid until revoked.

All prices include statutory 19% VAT.

Errors, printing mistakes, price changes and technical modifications expressly reserved.



SCHEER is a German manufacturer based in Schleswig-Holstein. Since as early as 1953, the company has been committed to developing increasingly energy-efficient and environmentally friendly processes and products, always keeping the comfort of heat generation at the center of its efforts.


MADE IN GERMANY

Our Key Advantages

As a *German manufacturer*, we stand for *quality!*

The development and production of our heating systems for motorhomes and caravans take place exclusively in Wöhrden, Dithmarschen, on the North Sea coast.

Our focus is on *energy efficiency, quality, and reliability.*"



- 1 Convectors
- 2 SCHEER Heating Systems
- 3 Bathroom Radiators
- 4 Water-to-Air Heat Exchangers
- 5 Underfloor Heating
- 6 Hot Water Supply
- 7 Engine Preheating / Heating with Engine Waste Heat
- 8 Room Thermostats
- 9 HeatMate® Control Unit



Soot-free and environment-friendly



Operationally safe



Service-friendly and low maintenance



Suitable for extreme altitudes



SCHEER
 Heizsysteme & Produktionstechnik GmbH
 Chausseestraße 16
 D-25797 Wöhrden
 Phone +49 (0) 48 39 905-0
 Email vertrieb@scheer-heizsysteme.de
 Website www.scheer-heizsysteme.de

This price catalog is an excerpt from our extensive product range.

All prices are non-binding guide prices and include the statutory value-added tax (VAT).

Visit our online shop at <https://mobileshop.scheer-heizsysteme.de> for many more products for your caravan.





selection



The Premium Solution with Full Equipment

With its two-stage blue flame burner, our new **SCHEER selection** pressure-resistant water heater ensures a reliable and safe heat supply.

The pre-assembled plug-in solution offers simple installation including pipework for radiators and underfloor heating - for instant heat in your mobile home.

Designation	Item No.	Boiler Output	Price (incl. 19% VAT)
Water Heater selection	077350	10/17kW	11.348,69 €

- Two-stage Blue Efficiency® blue-flame burner
- Hybrid heating system (diesel/electric with up to 3 kW output)
- Combi version for unlimited domestic hot water heating with integrated plate heat exchanger
- Pressurized hot-water heating system
- Stainless steel boiler
- Compact dimensions, specially designed for mobile applications
- Excellent environmental performance
- Individual room temperature control via app (optional)
- Optional preheating of the engine compartment and utilization of engine waste heat
- Proven and reliable for mobile use and applications

Automatic Altitude Adjustment

The fully automatic altitude adjustment offers consistent combustion quality and thus maintains high efficiency. Whether at sea level or in the mountains, the blue burner optimally and steplessly adapts to the altitude conditions.

Output Power	kW	10/17
Dimensions (W / H / D)	cm	39 / 32 / 63
Weight	kg	53
Efficiency	%	94
Boiler Water Volume	l	17
Rated Voltage (Burner)	V	230
Current Draw (Burner Operation, 12V)	A	6,6
Rated Voltage (Control & Pumps)	V	12 / 24
Normal Heating System Pressure	bar	1,5
Max. Fresh Water Pressure	bar	10
Exhaust Outlet	mm	Ø 35



Included in the scope of delivery:

- Removable HeatMate® control unit for versatile connectivity options
- Piping assembly for the controlled underfloor heating circuit, including mixing valve unit and circulation pump
- Piping assembly for the radiator heating circuit for radiators and/or water-to-air heat exchangers
- Safety assembly with shut-off supply and return connections
- Fuel filter with vacuum gauge for monitoring filter condition
- Connection provided for utilizing engine waste heat
- 12/24 V heating circuit pumps included

Note:

- All connections 1/2" internal thread

MADE IN
GERMANY





micro

The flexible all-rounder

The **SCHEER micro** pressure-resistant water heater is a diesel heater with an output of 10 kW. Thanks to the 17 l boiler water capacity, the micro is also ideal as a buffer for PV use.

The heating circuits can be configured individually. An underfloor heating installation, and an air heater installation with water-air heat exchanger are possible.

It also offers a hybrid function with up to 3 kW output, which increases its versatility.

Note: Suitable for both pressurized and unpressurized installation.

Designation	Item No.	Boiler Output	Price (incl. 19% VAT)
Water heater micro	0774822	10 kW	5.710,57 €

- Blue Efficiency® blue-flame burner
- Optimized utilization of surplus photovoltaic (PV) energy
- Hybrid operation (diesel/electric with up to 3 kW output)
- Combi version for unlimited domestic hot water heating
- Pressurized hot-water heating system with integrated plate heat exchanger
- Stainless steel boiler
- 12 V / 24 V heating circuit
- Individual room temperature control via app (optional)
- Optional preheating of the engine compartment and utilization of engine waste heat
- Proven and reliable for mobile applications

Automatic Altitude Adjustment

The fully automatic altitude adjustment offers consistent combustion quality and thus maintains high efficiency. Whether at sea level or in the mountains, the blue burner optimally and steplessly adapts to the altitude conditions.

Heating Output	kW	10
Dimensions (W / H / D)	cm	37 / 30 / 60
Weight	kg	40
Efficiency	%	94
Boiler Water Volume	l	17
Rated Voltage (Burner)	V	230
Current Draw (Burner Operation, 12 V)	A	6,6
Rated Voltage (Control Unit and Circulation Pumps)	V	12 / 24
Normal Heating System Pressure	bar	1,5
Maximum Fresh Water Operating Pressure	bar	10
Exhaust Outlet	mm	Ø 35



Included in the scope of delivery:

- Removable HeatMate® control unit for versatile connectivity options
- Connection and accessory kit for micro
- Fuel filter with vacuum gauge for monitoring filter condition
- Automatic air vent with hose
- Compatible with SCHEER and Alde systems
- 22 mm stainless steel hose connection socket for use as an adapter with third-party systems (e.g. Alde heating pipes)
- 1/2" nickel-plated drain plug
- 1/2" hose connection fitting

Note:

- **Heating circuit - circulation pump required as accessory**
- **All connections 1/2" IG**

MADE IN GERMANY





nano

The world's smallest blue burner



The SCHEER nano is a pressurized hydronic diesel heating system with an output of 7 kW. It is equipped with automatic altitude compensation, ensuring optimal performance and efficiency at varying elevations.

Thanks to its innovative blue-flame burner technology, the heater operates with exceptional efficiency and low emissions, making it an environmentally friendly solution.

In addition, the unit features a hybrid function with up to 3 kW of electric heating power, providing increased flexibility.

Note: Suitable for both pressurized and unpressurized installation.

Designation	Item No.	Boiler Output	Price (incl. 19% VAT)
Water heater nano	077360	7 kW	5.219,34 €

- Blue Efficiency® blue-flame burner
- Hybrid operation (diesel/electric with up to 3 kW output)
- Combi version for unlimited domestic hot water heating
- Pressurized hydronic heating system with integrated plate heat exchanger
- Stainless steel boiler
- Ultra-compact dimensions
- Removable control unit
- Low weight of only 32 kg
- Integrated domestic hot water production
- Individual room temperature control via app (optional)
- Optional preheating of the engine compartment and utilization of engine waste heat
- Proven and reliable for mobile applications and vehicles

Automatic Altitude Adjustment

The fully automatic altitude adjustment offers consistent combustion quality and thus maintains high efficiency. Whether at sea level or in the mountains, the blue burner optimally and steplessly adapts to the altitude conditions.

Heating Output	kW	7
Dimensions (W / H / D)	cm	32 / 25 / 49
Weight	kg	32
Efficiency	%	94
Boiler Water Volume	l	8
Rated Voltage (Burner)	V	230
Current Draw (Burner Operation, 12 V)	A	6,4
Rated Voltage (Control Unit and Circulation Pumps)	A	12 / 24
Normal Heating System Pressure	bar	1,5
Maximum Fresh Water Operating Pressure	bar	10
Exhaust Outlet	mm	Ø 35



Included in the scope of delivery:

- Removable HeatMate® control unit for versatile connectivity options
- Connection and accessory kit for nano
- Fuel filter with vacuum gauge for monitoring filter condition
- Automatic air vent with hose
- Compatible with SCHEER and Alde systems
- 22 mm stainless steel hose connection socket for use as an adapter with third-party systems (e.g. Alde heating pipes)
- 1/2" nickel-plated drain plug
- 1/2" hose connection fitting

Note:

- **Heating circuit - circulation pump required as accessory**
- **All connections 1/2" IG**

MADE IN
GERMANY

Peripherals

Exhaust System


Designation	Item No.	Price (incl. 19% VAT)
Set Exhaust and Fresh Air Installation	M-AB010	553,35 €
Package contents: <ul style="list-style-type: none"> Silencer incl. 2 clamps Item No. 070592 Floor penetration 140 mm Item No. 018615 Exhaust pipe 1 m (if more than 1 m of exhaust pipe is required, please order separately) Item No. 14-N000 Clamp for exhaust pipe Item No. 014244 Air intake hose Item No. 014120 2x clamps for air intake hose Item No. 014250 Exhaust pipe end piece with clamp Item No. 0754695 		
Stainless steel silencer for connection to Ø 35 mm exhaust hose, Length 270 mm – installation outside the vehicle / under the chassis	070592	269,45 €
Stainless steel silencer for connection to Ø 35 mm exhaust hose, Length 380 mm, installation inside the vehicle, concentric routing	070593	269,45 €
Stainless steel silencer for connection to Ø 35 mm exhaust hose, Length 400 mm, installation outside the vehicle	070594	269,45 €
Flexible exhaust pipe Ø 35 mm stainless steel, per 1 m	14-N000	74,39 €
<ul style="list-style-type: none"> Single-layer corrugated spiral-wound stainless steel pipe, temperature resistant up to 600°C, non-combustible Bending radius: 1.5 – 3.0 x nominal diameter Cut lengths available only in full meters 		
Insulation sleeve for flexible exhaust pipe, per 1 m	14-N176	118,87 €
MH micro air intake hose DN 75, per 1 m	014120	31,01 €
Exhaust pipe end piece Ø 35 mm with steel clamp	0754695	80,59 €
Exhaust/floor penetration LAS system, length: 140 mm	018615	100,91 €
Exhaust/floor penetration LAS system, length: 200 mm	0186150	115,23 €



Item No. 070592



Item No. 070593



Item No. 070594



Item No. 14-N000



Item No. 014120



Item No. 14-N176



Item No. 0186150



Item No. 0854695

SCHEER Room Thermostat incl. Wi-Fi

- The SCHEER room thermostat gives you the ability to control radiators, underfloor heating, or water-to-air heat exchangers. The integrated battery preserves data even in the event of a power supply interruption.
- It features both a manual mode and an automatic mode, in which individual time programs can be set for weekdays, Saturday, and Sunday.
- The thermostat can be operated via the touch display or a smartphone app. For this purpose, the thermostat can establish an internet connection through its integrated Wi-Fi interface. This allows the room temperature to be monitored and adjusted remotely.
- A temperature sensor is integrated into the device for measuring the room temperature.
- An external sensor can additionally measure the temperature at a distance of up to 2.5 m.

Note:

- 12–50 V versions: Information on whether the external sensor is included in the scope of delivery can be found in the separate scope of delivery list.
- 230 V version: The note "(included in the scope of delivery)" is already stated directly in the description text for the external sensor.



12–50 V
Item No. 0170107 | 0170108



230 V
Item No. 0170106

Designation	Item No.	Price (incl. 19% VAT)
12-50V (white)	0170107	272,67 €
12-50V (black)	0170108	272,67 €
230V	0170106	272,67 €

Included in the scope of delivery:

- Thermostat
- External sensor (2.5 m)
- Screws (2 pcs.)

Antifreeze

- 50% less CO2 during glycol production
- Particularly environmentally friendly
- Bio-glycol from renewable raw materials
- Minimum frost protection: - 24 °C
- Temperature stability: max. +214 °C
- Ready-mix for long-term filling
- High-quality additives with 1.3 propanediol as antifreeze carrier
- Antifreeze base made 100% from plants (bio-glycol)
- Evaporation-proof, no crystallization
- Usable also for aluminum collectors
- Not hazardous, water hazard class WGK 1
- Free of nitrite, silicate, borate, phosphate and 2-ethylhexanoic acids

Designation	Item No.	Price (incl. 19% VAT)
Ecological Antifreeze 1 Liter	190091	13,22 €
Ecological Antifreeze 20 Liters	190094	176,65 €



Item No. 190094



Item No. 190091

Circulation pump

Designation	Item No.	Price (incl. 19% VAT)
Circulation pump 12V brass housing connection 1/2' IG	018620	371,07 €
Circulation pump 24V brass housing connection 1/2' IG	018621	371,07 €
Circulation pump 12V plastic housing connection Ø 22 mm	018622	371,07 €
Circulation pump 24V plastic housing connection Ø 22 mm	018623	371,07 €

Extremely quiet operation, compact design, quick installation



Item No. 018620 / 018621



Item No. 018622 / 018623

Fresh Water


Designation	Item No.	Price (incl. 19% VAT)
Fresh Water Warm-Plus Ø 10 mm	M-FW010	232,39 €

For the automatic shutdown of the heating circuit pump during domestic hot water demand, ensuring maximum hot water availability at all times.

Scald Protection and Temperature Control for Fresh Water Ø 10 mm	M-FW011	196,35 €
--	---------	----------



Item No. M-FW010



Item No. M-FW011

Mixing Valve for Underfloor Heating

Mixing Valve for Underfloor Heating 1/2" Female Thread	M-FB010	148,75 €
Mixing Valve for Underfloor Heating Ø 22 mm	M-FB01022	196,35 €



Item No. M-FB010



Item No. M-FB01022

Thermal stop

Designation	Item No.	Price (incl. 19% VAT)
Thermal Stop Kit, 9–24 V DC, 2-way valve, 1/2" female thread (F), motorized brass ball valve	0754488	165,90 €
Thermal Stop Kit, 9–24 V DC, 2-way valve, Ø 22 mm, motorized brass ball valve	M-IN07042	185,90 €

The Thermal Stop 2-way valve is installed in the supply line and prevents thermal circulation caused by heat expansion, even when the circulation pumps are switched off, thereby avoiding unintended coolant flow.



Plate heat exchanger

Designation	Item No.	Price (incl. 19% VAT)
Plate heat exchanger for engine heat recovery	0790013	267,40 €

Flow temperatures of up to 85°C can be achieved. These temperatures must be checked and approved in accordance with the engine manufacturer's specifications.



Auto Tank Control

Designation	Item No.	Price (incl. 19% VAT)
Auto Tank Control with rod-type tank sender for metal and plastic fuel tanks Available lengths: 250, 300, 400, 450, 500 and 600 mm.	0170019	245,14 €
Auto Tank Control with ultrasonic level sensor for plastic tanks only	0170018	522,18 €



Expansion Vessel / Expansion Tank

Designation	Item No.	Price (incl. 19% VAT)
Pressurized Installation Kit / Expansion Vessel	M-IN010	300,84 €

Package contents:

- Expansion vessel, 8 litres, 3/8" male thread (M) **Item No. 125203**
- Expansion vessel mounting bracket **Item No. 075460**
- Safety relief valve **Item No. 077065**
- Reducing coupling, 1/2" (F) to 3/8" (F) **Item No. 0756542**

Expansion Tank for Non-Pressurized, Open Systems, 2 Liters Connection Ø 22 mm, for wall mounting	3020045	55,04 €
Expansion Tank for Non-Pressurized, Open Systems, 2 Liters Connection Ø 22 mm, for corner mounting	3000495	93,22 €
Floor Penetration for Ventilation and Air Intake For overflow and drainage of expansion tanks and boilers	1900565	7,78 €

Plastic Expansion Tank with Drain and Vent Hose
Rotatable, with three wall brackets | W/H/D: 220 mm / 300 mm / 40 mm



Aluminum / Copper Convector

The convectors heat the room air with high efficiency. The curved fins ensure optimum heat transfer. The convectors are suitable for use in both non-pressurized and pressurized systems.

Designation	Item No.	Price (incl. 19% VAT)	Item No.	Price (incl. 19% VAT)
Length	450 W per meter Width: 35 mm		550 W per meter Width: 56 mm	
Convectors 500 mm	0155528	44,39 €	0155534	47,15 €
Convectors 750 mm	0155529	55,85 €	0155535	59,99 €
Convectors 1000 mm	0155530	67,31 €	0155536	72,84 €
Convectors 1250 mm	0155531	78,76 €	0155537	85,69 €
Convectors 1500 mm	0155532	90,22 €	0155538	98,54 €

For Ø 22 mm installations, 2 x SCHEER hose tail 1/2" male thread to Ø 22 mm (210226) is required per convector.

Bracket for 56 mm convectors	0155542	5,90 €
------------------------------	---------	--------

For mounting the convectors.



Towel dryer

The SCHEER towel dryer is specially designed for use in bathrooms. Its high heat output and particularly compact installation dimensions make it ideal for motorhomes and caravans. The SCHEER towel dryer can also be used in pressurised and unpressurised systems.

- Efficient towel dryer
- Traditionally designed with a high heat output
- The installation dimensions of the towel dryer are specifically designed for use in motorhomes and caravans.
- Pipe spacing centre connection: 50mm, wall distance min./max. 60 / 90mm
- Including thermostat (valve tap block)
- Including wall brackets, blanking and vent plugs

Designation	Output	Item No.	Price (incl. 19% VAT)
Towel dryer 300x600 mm white	198 Watt	001004	259,39 €
Towel dryer 300x800 mm white	270 Watt	001015	263,84 €
Towel dryer 500x700 mm white	330 Watt	001016	269,18 €
Towel dryer 300x600 mm chrome	119 Watt	001003	270,96 €
Towel dryer 300x800 mm chrome	158 Watt	001017	289,15 €
Towel dryer 500x700 mm chrome	192 Watt	001018	293,55 €

Other models and accessories are available on request

Design Straight

The Design Straight bathroom radiators are an eye-catcher in your bathroom. The radiator gives your bathroom an elegant look. You can rotate this bathroom radiator by 180°, as the connection options at the top and bottom of the radiator allow installation in both directions.

Suitable for use in pressurised and unpressurised systems.



- Exclusive towel dryer in SCHEER design
- Can be used flush right or left
- Elegant look in matt fine structure white or black
- High heat output
- Pipe spacing connection: 50mm, wall distance 80mm
- Including thermostat (valve tap block anthracite/white)
- Including wall brackets, blanking and vent plugs

Designation	Output	Item No.	Price (incl. 19% VAT)
Design Straight 400x800 mm black	448 Watt	001019	510,49 €
Design Straight 400x800 mm white	448 Watt	001020	472,90 €

Other models and accessories are available on request

Underfloor heating

Designation	Item No.	Price (incl. 19% VAT)
Underfloor Heating Kit for 12.5 m ²	0170200	1.835,19 €
Package contents: <ul style="list-style-type: none"> • 10 installation panels, 1197 mm × 1050 mm = 12.5 m² • 96 heat transfer plates, 1180 mm × 120 mm × 0.45 mm, for 14 mm pipes • 120 m pipe, Ø 14 mm Various fittings available on request		
Mixing Valve for Underfloor Heating 1/2" female thread	M-FB010	148,75 €
Mixing Valve for Underfloor Heating Ø 22 mm	M-FB01022	196,35 €



Installation height: 25mm

Water-Air Heat Exchanger

Silencio 1



- Quiet fan with low power consumption
- Can also be switched directly without a fan controller
- Equipped with a quiet, energy-saving fan (B / H / T) 210 x 156 x 125,7 cm

Designation		
Heating capacity	kW	1.7
Airflow	m ³ /h	110
Power consumption	W	7
Noise level	dB	48
Weight	kg	1
Water connection	Ø mm	16

Designation	Item No.	Price (incl. 19% VAT)
Silencio FAI black 12 V	120.14.081	217,78 €
Silencio FAI black 24 V	120.14.181	217,78 €

Silencio 2



- Quiet fan with low power consumption
- Equipped with a quiet, energy-saving fan (B / H / T) 321 x 152 x 125,7 mm

Designation		
Heating capacity	kW	5.5
Airflow	m ³ /h	250
Power consumption	W	16
Noise level	dB	48
Weight	kg	2
Water connection	Ø mm	16

Designation	Item No.	Price (incl. 19% VAT)
Silencio 2 black 12 V	120.14.030	247,03 €
Silencio 2 black 24 V	120.14.130	247,03 €

Mounting Accessories

Designation	Item No.	Price (incl. 19% VAT)
Mounting Base with Cable and Utility Routing Space (nano)	050092	172,55 €



Item No. 050092

For installation of the nano heater with integrated clearance for routing cables, lines, and hoses.

The raised design allows for neat, protected, and service-friendly installation of supply components beneath the unit.

U-Shaped Control Unit Bracket	018665	20,68 €
-------------------------------	--------	---------

For mounting and securing the control unit to the wall. The bracket serves as a stable support and mounting solution for surface installation of the control unit.



Item No. 018665



Item No. 050096

Angled Control Unit Bracket	050096	19,96 €
-----------------------------	--------	---------

Angled bracket for mounting the control unit. Allows installation on the ceiling or floor inside the vehicle or storage compartment.

Mounting Kit for Exhaust Silencer on Chassis Rail	M-IN07002	34,79 €
---	-----------	---------

Kit for mounting the exhaust silencer to the vehicle chassis rail. The kit consists of one bracket and two support clamps for secure installation on the chassis rail.



Item No. M-IN07002



Inverter with Schuko Socket

Designation	Item No.	Price (incl. 19% VAT)
Inverter 12 V / 375 W - 230 VCA / 50Hz	0705559	147,37 €
Inverter 24 V / 375 W - 230 VCA / 50Hz	0705560	163,34 €
Inverter 12 V / 500 W - 230 VCA / 50Hz	0705564	184,21 €
Inverter 24 V / 500 W - 230 VCA / 50Hz	0705563	203,86 €



Hose Connection Adapters / Filling and Flushing Unit


Designation	Item No.	Price (incl. 19% VAT)
SCHEER Stainless Steel Hose Tail 1/2" Male Thread to Ø 22 mm	210226	12,39 €
SCHEER Brass Hose Tail 3/4" Male Thread to Ø 22 mm	0756358	11,88 €
SCHEER Nickel-Plated Brass Hose Tail 1/2" Male Thread to Ø 16 mm	0756570	6,89 €
Filling and Flushing Unit 1/2" female thread	M-IN08012	34,45 €
Filling and Flushing Unit Ø 22 mm	M-IN08022	34,45 €
Unit for filling and flushing the heating system. Designed as a double tee-piece with integrated shut-off capability.		
Automatic Air Vent 1/2" female thread	M-IN06012	46,35 €
Automatic Air Vent Ø 22 mm	M-IN06022	46,35 €



Item No. 210226

Item No. 0756358

Item No. 0756570



Item No. M-IN08012

Item No. M-IN08022



Item No. M-IN06012

Item No. M-IN06022

Service-Kits

Designation	Contents	Item No.	Price (incl. 19% VAT)
Service Kit MH 10/17 Small	Ignition electrodes, oil nozzle, flame tube, fuel filter, and filter bowl gasket	073079	350,66 €
Service Kit MH 10/17 Big	Ignition electrodes, oil nozzle, flame tube, fuel filter, filter bowl gasket, oil hoses, boiler insulation, and sealing cord	0730790	458,15 €
Service Kit selection	Ignition electrodes and oil nozzle, flame tube, fuel filter, and filter bowl gasket	073118	350,66 €
Service Kit micro	Ignition electrodes and oil nozzle, flame tube, fuel filter, and filter bowl gasket	073086	350,66 €
Service Kit nano	Ignition electrodes and oil nozzle, flame tube, fuel filter, and filter bowl gasket	073117	350,66 €



Replacement of Gas Heater with SCHEER nano/micro/selection

Designation	Item No.	Price (incl. 19% VAT)
Wall Flue Cover with SCHEER Logo	050091	28,08 €

Cover for closing the opening of the former ALDE heater exhaust flue. Designed with the SCHEER logo for an enhanced appearance and neat covering of the wall opening.



Item No. 050091

Adapter Plate for ALDE Control Panel to Room Thermostat	050093	7,97 €
---	--------	--------

Mounting plate for installing the SCHEER room thermostat in the location of the former ALDE control panel. Existing mounting holes can continue to be used, enabling simple installation without additional modifications.



Item No. 050093

Plastic Cap for External Sensor	M-IN0700	5,59 €
---------------------------------	----------	--------

Plastic cap as a replacement for the ALDE cap of the external temperature sensor. Used for neat covering and secure mounting of the sensor inside the vehicle.



Item No. M-IN0700



Some of Our References



SCHEER Heizsysteme & Produktionstechnik GmbH

Chausseestraße 16

D-25797 Wöhrden

Phone +49 (0) 48 39 905-0

Email vertrieb@scheer-heizsysteme.de

Website www.scheer-heizsysteme.de



This price catalog is an excerpt from our extensive product range.

All prices are non-binding guide prices and include the statutory value-added tax (19% VAT).

Visit our online shop at

<https://mobileshop.scheer-heizsysteme.de>

for many more products for your caravan.

Prices are valid until revoked.

All prices include statutory 19% VAT.

Errors, printing mistakes, price changes and technical modifications expressly reserved.